## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Patent of:	)
Dietz et al.	) <u>REQUEST FOR CERTIFICATE OF</u>
Patent No.: 7,336,812	) CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))
Issued: February 26, 2008	)
Atty. File No.:4220-107-1	,
For: "SYSTEM FOR MICROVOLUI LASER SCANNING CYTOMETRY"	) ME
Attn: Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	
Dear Sir:	
•	Corrections for PTO mistake under 37 CFR 1.322(a) the patent are typographical errors or omissions and thation as filed on February 3, 2004
	Respectfully submitted,
	SHERIDAN ROSS P.C.
	By: /Mark L. Yaskanin/ Mark L. Yaskanin Registration No. 45,246 1560 Broadway, Suite 1200 Denver, Colorado 80202-5141
Date: March 28, 2008	(303) 863-9700

U.S. Patent and Trademark Office; U.S. DePARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	1	of	1

PATENT NO. : 7,336,812 APPLICATION NO.: 10/771,585

ISSUE DATE : February 26, 2008

INVENTOR(S) Dietz et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 2:

Col. 26. line 1. delete "suimning" and insert --summing--therein.

Claim 3:

Col.26, line 20, delete "background" and insert --background--therein.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SHERIDAN ROSS P.C. 1560 Broadway, Suite 1200

Denver, CO 80202

This collection of information is required by 37 CPR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentially is governed by \$5 U.S. C. 122 and 37 CPR 1.14. This collection is either to late 1.0 hours to complete, including gathering, preparing, and submitting the completed application from to the USPTO. Time will vary depending upon the individual cases. Any comments on the amount of time you require to complete this form and/or suggestestor for reducing this burder, should be sent to the friedmarktic Officer. The control of the complete of the control of